

Հավելված N4
Հաստատված է
ՀՀ կառավարությանն առընթեր
պետական
եկամուտների կոմիտեի
նախահի
2010թ.
N հրամանով

ՁԵՎԱԶԱՓ

«Ֆինանսական արդյունքների մասին (Ձև N2)» հաշվետվության

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <!--
    <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
      targetNamespace="http://ws.taxservice.am/XML/Declaration/D72.1"
      xmlns="http://ws.taxservice.am/XML/Declaration/D72.1">
  -->
  <xs:simpleType name="DocumentCodeType">
    <xs:restriction base="xs:string">
      <xs:pattern value="[0-9A-Za-z]{2}" />
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="TinType">
    <xs:restriction base="xs:string">
      <xs:pattern value="[0-9]{8}" />
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="DeclarationType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="A" />
      <xs:enumeration value="D" />
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="DeclarationYearType">
    <xs:restriction base="xs:string">
      <xs:pattern value="20[0-9][0-9]" />
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="DeclarationPeriodType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="yearly" />
      <xs:enumeration value="quarterly" />
      <xs:enumeration value="monthly" />
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="DeclarationPeriodValueType">
    <xs:restriction base="xs:string">
```

```

<!-- For yearly periods -->
<xs:enumeration value="00" />
<!-- For monthly periods -->
<xs:enumeration value="01" />
<xs:enumeration value="02" />
<xs:enumeration value="03" />
<xs:enumeration value="04" />
<xs:enumeration value="05" />
<xs:enumeration value="06" />
<xs:enumeration value="07" />
<xs:enumeration value="08" />
<xs:enumeration value="09" />
<xs:enumeration value="10" />
<xs:enumeration value="11" />
<xs:enumeration value="12" />
<!-- For quarterly periods -->
<xs:enumeration value="21" />
<xs:enumeration value="22" />
<xs:enumeration value="23" />
<xs:enumeration value="24" />
</xs:restriction>
</xs:simpleType>

<!-- Definition Start -->
<xs:element name="SignedData">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Data">
        <xs:complexType>
          <xs:choice>
            <xs:element name="Declaration">
              <xs:complexType>
                <xs:sequence>
                  <xs:element name="Header">
                    <xs:complexType>
                      <xs:sequence>
                        <xs:element name="Sender">
                          <xs:complexType>
                            <xs:sequence>
                              <xs:element name="Tin" type="TinType" />
                            </xs:sequence>
                          </xs:complexType>
                        </xs:element>
                      <xs:element name="Type" type="DeclarationType" />
                      <xs:element name="Period">
                        <xs:complexType>
                          <xs:attribute name="year" type="DeclarationYearType"
                            use="required" />
                          <xs:attribute name="type" type="DeclarationPeriodType"
                            use="required" />
                          <xs:attribute name="value"
                            type="DeclarationPeriodValueType" use="required" />
                        </xs:complexType>
                      </xs:element>
                    </xs:sequence>
                  </xs:element>
                </xs:sequence>
              </xs:complexType>
            </xs:choice>
          </xs:complexType>
        </xs:element>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:sequence>

```

```

        </xs:complexType>
    </xs:element>
    <xs:element name="Body">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="Section0">
                    <xs:complexType>
                        <xs:sequence>
                            <xs:element name="Record">
                                <xs:complexType>
                                    <xs:sequence>
                                        <xs:element minOccurs="0"
                                            name="OrganizationNameCode">
                                            <xs:simpleType>
                                                <xs:restriction base="xs:string">
                                                    <xs:maxLength value="200" />
                                                </xs:restriction>
                                            </xs:simpleType>
                                        </xs:element>
                                        <xs:element minOccurs="0"
                                            name="WorkType1">
                                            <xs:simpleType>
                                                <xs:restriction base="xs:string">
                                                    <xs:maxLength value="200" />
                                                </xs:restriction>
                                            </xs:simpleType>
                                        </xs:element>
                                        <xs:element minOccurs="0"
                                            name="WorkType2">
                                            <xs:simpleType>
                                                <xs:restriction base="xs:string">
                                                    <xs:maxLength value="200" />
                                                </xs:restriction>
                                            </xs:simpleType>
                                        </xs:element>
                                        <xs:element minOccurs="0"
                                            name="WorkType1Code">
                                            <xs:simpleType>
                                                <xs:restriction base="xs:string">
                                                    <xs:maxLength value="200" />
                                                </xs:restriction>
                                            </xs:simpleType>
                                        </xs:element>
                                        <xs:element minOccurs="0"
                                            name="WorkType2Code">
                                            <xs:simpleType>
                                                <xs:restriction base="xs:string">
                                                    <xs:maxLength value="200" />
                                                </xs:restriction>
                                            </xs:simpleType>
                                        </xs:element>
                                        <xs:element minOccurs="0"
                                            name="GovRegisterNumber">
                                            <xs:simpleType>
                                                <xs:restriction base="xs:string">

```

```

        <xs:maxLength value="200" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0"
name="WorkAddress">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"
name="WorkPhone">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"
name="FilePeriodDay">
    <xs:simpleType>
        <xs:restriction base="xs:int">
            <xs:totalDigits value="10" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Section1">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Record">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element minOccurs="0"
name="Activities010_3">
                            <xs:simpleType>
                                <xs:restriction base="xs:decimal">
                                    <xs:totalDigits value="10" />
                                    <xs:fractionDigits value="2" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element minOccurs="0"
name="Activities010_4">
                            <xs:simpleType>
                                <xs:restriction base="xs:decimal">
                                    <xs:totalDigits value="10" />
                                    <xs:fractionDigits value="2" />
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                    </xs:sequence>
                </xs:complexType>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities010_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities010_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities020_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities020_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities020_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities020_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>

```

name="Activities030_3">	<pre> </xs:simpleType> </xs:element> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities030_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities030_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities030_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities040_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities040_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </pre>

name="Activities040_5">	<pre> </xs:element> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities040_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities050_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities050_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities050_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities050_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> </pre>

name="Activities060_3">	<pre> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities060_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities060_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities060_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities070_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities070_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> </pre>

name="Activities070_5">	<pre> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities070_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities071_1">	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities071_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities071_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities071_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities071_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>

```

name="Activities072_1">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities072_3">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities072_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities072_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities072_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities073_1">
    <xs:simpleType>
        <xs:restriction base="xs:string">

```

```

        <xs:maxLength value="200" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0"
name="Activities073_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"
name="Activities073_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"
name="Activities073_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"
name="Activities073_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"
name="Activities074_1">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"
name="Activities074_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>

```

name="Activities074_4">	<pre> </xs:simpleType> </xs:element> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities074_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities074_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities075_1">	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities075_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities075_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> </pre>

name="Activities075_5">	<pre> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities075_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities076_1">	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities076_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities076_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities076_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities076_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>

```

name="Activities077_1">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities077_3">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities077_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities077_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities077_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities078_1">
    <xs:simpleType>
        <xs:restriction base="xs:string">

```

```

        <xs:maxLength value="200" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities078_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities078_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities078_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities078_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities079_1">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities079_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>

```

name="Activities079_4">	<pre> </xs:simpleType> </xs:element> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities079_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities079_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities080_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities080_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities080_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </pre>

name="Activities080_6">	<pre> </xs:element> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities081_1">	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities081_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities081_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities081_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities081_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> </pre>

name="Activities082_1">	<pre> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities082_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities082_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities082_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities082_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities083_1">	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities083_3">	<pre> <xs:simpleType> </pre>

```

        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities083_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities083_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities083_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities084_1">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities084_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities084_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />

```

name="Activities084_5">	<pre> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities084_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities085_1">	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities085_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities085_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities085_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </pre>

name="Activities085_6">	<pre> </xs:simpleType> </xs:element> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities086_1">	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities086_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities086_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities086_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities086_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> </pre>

name="Activities087_1">	<pre> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities087_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities087_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities087_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities087_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities088_1">	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities088_3">	<pre> <xs:simpleType> </pre>

```

        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities088_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities088_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities088_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities089_1">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities089_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities089_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />

```

name="Activities089_5">	<pre> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities089_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities090_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities090_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities090_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities090_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>


```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities100_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities100_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities100_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities100_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities110_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities110_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>

```

name="Activities110_5">	<pre> </xs:simpleType> </xs:element> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities110_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities120_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities120_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities120_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities120_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </pre>

name="Activities131_4">	<pre> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities131_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities131_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities132_1">	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities132_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities132_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities132_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>

```

name="Activities132_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities133_1">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities133_3">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities133_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities133_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities133_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">

```

```

        <xs:totalDigits value="10" />
        <xs:fractionDigits value="2" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities134_1">

    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities134_3">

    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities134_4">

    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities134_5">

    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities134_6">

    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities135_1">

    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>

```

name="Activities135_3">	<pre> </xs:simpleType> </xs:element> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities135_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities135_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities135_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities136_1">	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities136_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> </pre>

name="Activities136_4">	<pre> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities136_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities136_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities137_1">	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="200" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities137_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities137_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities137_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>


```

name="Activities137_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities138_1">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities138_3">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities138_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities138_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities138_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">

```

```

        <xs:totalDigits value="10" />
        <xs:fractionDigits value="2" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities139_1">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:maxLength value="200" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities139_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities139_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities139_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities139_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities140_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />

```

```

        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0"

name="Activities140_4">
      <xs:simpleType>
        <xs:restriction base="xs:decimal">
          <xs:totalDigits value="10" />
          <xs:fractionDigits value="2" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0"

name="Activities140_5">
      <xs:simpleType>
        <xs:restriction base="xs:decimal">
          <xs:totalDigits value="10" />
          <xs:fractionDigits value="2" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0"

name="Activities140_6">
      <xs:simpleType>
        <xs:restriction base="xs:decimal">
          <xs:totalDigits value="10" />
          <xs:fractionDigits value="2" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0"

name="Activities150_3">
      <xs:simpleType>
        <xs:restriction base="xs:decimal">
          <xs:totalDigits value="10" />
          <xs:fractionDigits value="2" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0"

name="Activities150_4">
      <xs:simpleType>
        <xs:restriction base="xs:decimal">
          <xs:totalDigits value="10" />
          <xs:fractionDigits value="2" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0"

name="Activities150_5">
      <xs:simpleType>
        <xs:restriction base="xs:decimal">
          <xs:totalDigits value="10" />
          <xs:fractionDigits value="2" />
        </xs:restriction>

```

```

name="Activities150_6">
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities160_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities160_4">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities160_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities160_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0"

name="Activities170_3">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>

```

name="Activities170_4">	</xs:element> <xs:element minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0">
name="Activities170_5">	<xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0">
name="Activities170_6">	<xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0">
name="Activities180_3">	<xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0">
name="Activities180_4">	<xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0">
name="Activities180_5">	<xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0">

name="Activities180_6">	<pre> <xs:element minOccurs="0" <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities190_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities190_4">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities190_5">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities190_6">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> <xs:element minOccurs="0" </pre>
name="Activities200_3">	<pre> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:totalDigits value="10" /> <xs:fractionDigits value="2" /> </xs:restriction> </xs:simpleType> </xs:element> </pre>

```

name="Activities200_4">
    <xs:element minOccurs="0"
        <xs:simpleType>
            <xs:restriction base="xs:decimal">
                <xs:totalDigits value="10" />
                <xs:fractionDigits value="2" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
</xs:element minOccurs="0"

name="Activities200_5">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:element minOccurs="0"

name="Activities200_6">
    <xs:simpleType>
        <xs:restriction base="xs:decimal">
            <xs:totalDigits value="10" />
            <xs:fractionDigits value="2" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:choice>
</xs:complexType>
</xs:element>

<xs:element name="Signatures" maxOccurs="1" minOccurs="0">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Signature" maxOccurs="unbounded">
                <xs:complexType>
                    <xs:sequence minOccurs="0" maxOccurs="unbounded">
                        <xs:any processContents="skip" />
                    </xs:sequence>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>

```

```
        <xs:anyAttribute processContents="skip" />
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
</xs:element>

</xs:sequence>

<!-- Attributes of SignedData -->
<xs:attribute name="Version" type="xs:string" use="optional" />
</xs:complexType>
</xs:element>

</xs:schema>
```